### कार्यालय प्राचार्य, शासकीय रेवती रमण मिश्र स्नातकात्तर महाविद्यालय सूरजपुर,

NAAC GRADE-B

जिला-सूरजपुर (छ.ग.)

College Code-3501

Ph. No. 07775-266657 E.mail-<u>pri.gdc.surajpur@gmail.com/pri-rmpgsurajpur.cg@gov.in</u>
Web.-www.govtcollegesurajpur.ac.in

पत्र क्रमांक<u> 861</u> / स्था. / 2021.

सूरजपुर,दिनांक <u>14</u>/06/2021.

#### मैनूअल पद्धति निविदा सूचना

एत्द द्वारा ग्राम—नावापारा स्थित इस महाविद्यालय में निम्नलिखित कार्य हेतु सक्षम श्रेणी के ठेकेदार/फर्म से मैनूअल पद्धित निविदा आमंत्रित की जाती है :--

क्रमांक	कार्य का विवरण	लो.नि.वि. सूरजपुर द्वारा प्रदत्त अनुमानित लागत	अमानत राशि
01	महाविद्यालय में बाउण्ड्रीवाल का निर्माण (लगभग 140 मीटर)	্জ. 6.75 লাख (S.O.R. 01.01.2015)	₹5. 5000 / -

उक्त कार्य महाविद्यालय जनभागीदारी समिति की अनुशंसा पर महाविद्यालय निर्माण समिति की देखरेख व लोक निर्माण विभाग सूरजपुर की संतुष्टि के आधार पर सम्पन्न किया जाना है। इच्छुक निर्माणकर्त्ता अपनी दर दिनांक 21.06.2021 तक कार्यालयीन समय में स्पीड पोस्ट/रजिस्टर्ड पोस्ट से प्राप्त की जा सकती है। निविदा खोलने का दिनांक 22.06.2021 दोपहर 2.00 बजे है। विस्तृत जानकारी महाविद्यालय के वेबसाईट www.govtcollegesurajpur.ac.in से प्राप्त की जा सकती है।

(डॉ. एस. एस. अग्रवाल)

🗲 प्राचार्य

शासकीय रे.र.मि. स्नातकोत्तर महा. सूरजपुर

पृ क्रमांक <u>962</u> / स्था. / 2021.

सूरजपुर,दिनांक <u>14</u>/06/2021.

प्रतिलिपि :--

01 दैनिक नव प्रवेश न्यूज, बिलासपुर संस्करण बिलासपुर को सूचनार्थ, कृपया उपरोक्त निविदा विज्ञप्ति को आगामी अंक में प्रकाशित करने का कष्ट करें।

02 दबंग दुनिया न्यूज, संस्करण रायपुर को सूचनार्थ, कृपया उपरोक्त निविदा वि**इाप्ति को** आगामी अंक में प्रकाशित करने का कष्ट करें।

> (डॉ. एस. एस. अग्रवाल) प्राचार्य शासकीय रे.र.मि. स्नातकोत्तर महा. सूरजपुर जिला–सूरजपुर (छ.ग.)

### Government of Chhattisgarh



## P.W.D. DIVISION SURAJPUR

#### NAME OF PROJECT

DETAIL ESTIMATE FOR CONSTRUCTION OF BOUNDRY WALL AT GOVERNMENT REVTIRAMAN MISHRA DEGREE COLLEGE SURAJPUR DISTT. SURAJPUR(CG)

ESTIMATED COST Rs 6.75 Lacs

EXECUTIVE ENGINEER
P.W.D. DIVISION SURAJPUR
DISTT. SURAJPUR (C.G.)

### REPORT AND SPECIFICATION

DETAIL ESTIMATE FOR CONSTRUCTION OF BOUNDRY WALL AT GOVERNMENT REVTIRAMAN MISHRA DEGREE COLLEGE Name of work. SURAJPUR DISTT. SURAJPUR(CG) **Rs 6.75 lacs** Amount of estimate As per Requirment Boundry Wall for Govt. Revtiraman Degree Necessity 3 College Surajpur Distt. Surajpur So this Estimate be Prepared **Provisions** R.C.C. column Footing with R.C.C. framed structure will be with (i) Nominal Mix (1:1.5:3) In foundation and below floor, M-10 grade concrete will be (ii) provided. Fly Ash Brick Work 1:5 (iii) 12mm &15mm thick plaster in walls will be provided. (iv) White Washing (v) Steel Gate (vi) Rates taken as per S.O.R.for building in forced from 01/01/2015 Rates with amendment made up to 04/05/2018 Issued by Engineer-in-5 Chief, P.W.D. Chhatishgirh As per building specification adopted in Chhatishgirh P.W.D. Specifications

ub Division Surajpur

P.W.D. Surajpur

P.W.D.Division-Surajpur

### GENERAL ABSTRACT

# DETAIL ESTIMATE FOR CONSTRUCTION OF BOUNDRY WALL AT GOVERNMENT REVTIRAMAN MISHRA DEGREE COLLEGE SURAJPUR DISTT. SURAJPUR(CG)

No.	Particular of Items	Amount
1	2	3
1	Construction of Boundry Wall	674640.00
2	Grand Total Amount Rs.	674640.00

Say

6.75 Lacs

Sub Engineer P.W.D.Sub Dn. Surajpur

P.W.D.Sab On. Same

SUB DIVISIONAL OFFICER
P.W.D. Sub Dn.
Surajpur

EXECUTIVE ENGINEER
P.W.D. Division
Surajpur

## DETAIL ESTIMATE FOR CONSTRUCTION OF BOUNDRY WALL AT GOVERNMENT REVTIRAMAN MISHRA DEGREE COLLEGE SURAJPUR DISTT. SURAJPUR(CG)

أنس	k							125.00 m		
S.	SOR	Item of Work		MEASU	REMEN	T	Quantity	Rate	Unit	Amount
No.	Item	Item of work	No.	L	В	D/H	Quarterty			
1	2	3	4	5	6	7	8	9	10	11
1	1.1	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of pits.								
	1.1.1	In all types of soils.								
		Columns Plinth Beam	47	1.20 125.0	1.20 0.30	1.20 0.20	81.22 7.50 88.72	185.00	Cum	16412.00
2	1.6	Extra for every additional lift of 1.5 m or part thereof.								
	1.6.1	All types of soils  Columns	47	1.20	1.20	0.10	6.77	211.50	Cum	1431.00
3	1.17	Filling from available excavated stuff (Excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering with a lead upto 50 M. and lift upto 1.5 M.		1.20	1.20	0.10	<i>G.77</i>	211.50		
4	3.1	Qty excavated Less base concrete Less Footing pad Less Trapezoidal portion Less Column upto GL Net Qty Providing and laying nominal mix plain cement concrete with	1 1 1	7.98 5.77 3.54 0.79 1.13 5.77			55.77	65.00	Cum	3625.00
	3.1.3	crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate  Columns Plinth Beam	47 1	1.20 125.0	1.20 0.30	0.10 0.10	6.77 3.75			
	gr. 2 .20 pr. 1					0.10	10.52	2970.00	Cum	31238.00

S.	SOR	Item of Work		MEASU	REMEN	T	<u></u>	Data	Unit	Amount
-	Item	Tom of Work	No. L B			D/H	Quantity	Rate	Unit	Amount
	2	3	4	5	6	7	8	9	10	11
2	3.2	Providing and laying nominal mix reinforced cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work.								
	3.2.1	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate Columns Footing	47	1.20	1.20	0.20	13.54			
		Footing Trapezoidal portion	47	$(1.20^2 +$	$0.30^2$ )/	0.30	10.79			
		Column upto G.L.	47	0.20	0.20	0.60	1.13			
		Plinth Beam	1	125.0	0.20	0.30	7.50			
		Column above plinth beam	47	0.20	0.20	1.80	3.38			
		Coping	46	3.00	0.20	0.10	2.76			
						Total	39.09	4163.00	Cum	162750.0
5	3.12	Providing and placing in position reinforcement for R.C.C. work including straightening, cutting, bending, binding etc. complete as per drawings including cost of binding wire in foundation and plinth all complete:								
-	3.12.1	Thermo-Mechanically treated bars FE 415	No.	No.	L.	T.L.	@ Kg/m	T. Wt.		
1		Column Jali - 10mm dia.	47	26	1.20	1120	2 400			
t		Column mian -12 mm dia.	47	20 4	1.20 3.8	1128	0.620	699.36		
-		Col. Stirrups- 8mm dia.	47	18	0.7	714 592	0.890	635.82		
1		P.Beam Top bar-12 dia.	1	2	160.1	320	0.390	230.96		
1		P.Beam Bottom bar-12 dia.	1	2	160.1	320	0.890	284.98		
	-	P.Beam Bentup bar-12 dia.	1	2	171.6	343	0.890 0.890	284.98		
		P.Beam stirrups -8 dia.	1	625	0.90	563	0.890	305.45		
		,			0.50	303	Total	\$ 222.19 2663.73		
				21 21			2663.73	54.50	Va	145170.0
	2.1	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for:					2000.73	54.50	Kg	145173.0
	2.1.1	Foundations, footings, bases of columns plinth beam, curtain wall in any shape and size and all type of wall below plinth level.								
	S000 12 14		47	4	1.20	0.20	45.12			
			47	2	0.20	0.60	11.28			
	s - v	Policy of the	47	2	0.20	0.60	11.28			
0.55		Plinth beam-sides	46	2	3.00	0.30	82.80			
1	1					Total	150.48	139.00	Sqm	20917.0

S	SOR	Item of Work	T	MFA	SUREMI	ENT	T	T	T	T .
No		item of work	N		В	D/H	Quantity	Rate	Uni	t Amount
1	2	3	4	5	6	7	8	9	10	11
8	2.1.6	Columns, beams & walls- circula or any other geometrical shape other than square and rectangular in all sizes	r							
		Column above plinth beam	47	~	0.20			356.00	Sqm	24094.00
9	7.5	Brick work with modular fly-ash lime bricks (FaLG Bricks) confirming to IS:12894-2002 of class designation 4.0 in foundation and plinth in:								
10	7.5.3	Cement Mortar 1:5 (1 cement : 5 coarse sand)  Above PL	46	3.00	0.20	1.80	49.68	3350.00	Cum	166428.00
10	7.0	Extra for brick work in superstructure above plinth level for every floor or part thereof in addition to rate for foundation and plinth:								
11	9.6	Above PL Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and applying a priming coat of red oxide zinc chromate primer	46	3.00	0.20	1.80	49.68	121.00	Cum	6011.00
	9.6.2	ladder, railings, brackets, gates and similar works.								
		for the second of the second o	47	0.90	201		42.30			
12	14.22	Painting on new work (two or more coats) to give an even shade with:				kg/M	126.90	68.00	Kg	8629.00
13	9.39	Satin synthetic enamel paint Providing and fixing in position G.I. barbed wire (93.8gram/m) to concrete/ wooden/ angle iron posts (straight or diagonal) including securing and screwing with G.I. tying wire, G.I. stapples, G.I.U-nails or steel pins etc., complete(Cost of posts, struts to be paid for separately)	47	0.90	0.15		6.35	55.00	Sqm	349.00
14		Providing and making 12mm thick cement plaster of mix: In Cement Mortar 1:6 (1 cement	1	150.00	5.00		750.00	9.40	Met.	7050.00
		6 fine sand) Inside	1	125.0		1.80	225.00	91.50	Sqm	20588.00


S. No.	SOR Item	Item of Work		MEASI	JREMEN	NT.	Τ		1	Т
1	2		No.	L	В	D/H	Quantity	Rate	Unit	Amount
	~11.3	3	4	5	6	7	8	9	10	11
15.,		Providing and making 15mm thick cement plaster on the rough side of single or half brick								
	11.3.4	In Cement Mortar 1:6 (1 cement ::6 fine sand)								
16	14.5	Out Side White washing with lime to give an even shade.	1	125.0	2	1.80	225.00	107.00	Sqm	24075.00
17	14.5.1	On new work (Three or more coats)	Sa	ime as q (12mm	l ty. of pla ı+15mm	l ster	450.00	9.40	Sqm	4230.00
17	14.14	Finishing walls with water proofing cement paint of required shade to give an even shade.	Sa	me as qt		ster				
	14.14.1	On new work (Two or more coats applied @ 3.84 kg/10 sqm)		(1211111	+1511111		450.00	24.95	Sqm	11228.00
18	9.15	Providing and fixing M.S. grill of approved pattern made of M.S. flats or square or round bars welded to steel frame of windows etc. including applying a priming coat welded to frame with all necessary fitting complete including applying a priming of red oxide zinc chromate primer.								
			1	3.6 @4	0 kg /Sq	2.1 m	7.56 302.40	67.50	Va	20440.00
							-	Total R	Kg S	20412.00 <b>674640.00</b>

Sub Engineer PWD Sub Div. (B/R) Surajpur

Sub Divisional Officer PWD Sub Division (B/R) Surajpur

Executive Engineer PWD Division (B/R) Surajpur

## REVTIRAMAN MISHRA COLLEGE BOUNDRY WALL



#### CROSS SECTION OF BOUNDRY WALL

SUB-ENGINEER PWD SUB-DIV. SURAJPUR

SUB-DIV.OFFICER
PWD SUB-DIV. SURAJPUR

EXECUTIVE ENGINEER PWD DIV. SURAJPUR